VOLUME CONTENTS

Volume 37, Number 1

V. Cozan, M. Gaspar, E. Butuc and A. Stoleriu	1	Azomethine sulfone macromers with thermotropic liquid crystalline behavior
C. Henneuse-Boxus, E. Dulière and J. Marchand-Brynaert	9	Surface functionalization of PEEK films using photochemical routes
A. Elberaïchi and C. David	19	Phase behavior and water vapor transport in BIONOLLE/polymethylmethacrylate blends
K. Lewandowska, D. U. Staszewska and M. Bohdanecký	25	The Huggins viscosity coefficient of aqueous solution of poly(vinyl alcohol)
A. Fischer, A. Brembilla and P. Lochon	33	Influence of initiator in controlled radical polymerization using nitroxide capping: the case of *N*,*N*-dimethylacrylamide.Synthesis of block copolymers of 4-vinylpyridine and *N*,*N*-dimethylacrylamide
H. Ismail and H. M. Hairunezam	39	The effect of a compatibilizer on curing characteristics, mechanical properties and oil resistance of styrene butadiene rubber/epoxidized natural rubber blends
C.-t. Zhao, M. do Rosário Ribeiro, M. F. Portela, S. Pereira and T. Nunes	45	Homo- and copolymerisation of norbornene and styrene with nickel bis(acetyl acetonate)/methylaluminoxane system
K. Subramanian	55	Photodecomposition of poly(styrene peroxide) in vinyl monomers and structural features of the formed polymers
P. P. Prosini and S. Passerini	65	The role of conductive carbon in PEO-based composite cathodes
C. D. Vlad and S. Mihailescu	71	Cross-linked polymers based on diallylmaleic ester
C. Gaina, V. Gaina and V. Cozan	79	Synthesis and characterization of new polyesters containing imidazolidine-2,4,5-trione rings
J. Y. Buzaré, G. Silly, J. Emery, G. Boccaccio and E. Rouault	85	Aging effects on vulcanized natural rubber studied by high resolution solid state ^{13}C-NMR
M. M. Jayasuriya, K. Makuuchi and F. Yoshi	93	Radiation vulcanization of natural rubber latex using TMPTMA and PEA
Zhongping Zhang, Xiaolie Luo, Yuchen Lu and Dezhu Ma	99	Transesterifications of poly(bisphenol A carbonate) with caprolactone segments in copolyester and poly(ε-caprolactone) homopolymer
S. Vlad, S. Oprea et A. Stanciu	105	Étude de l'optimisation de polyuréthanes basés sur des mélanges de polyesters insaturés

A. A. Demin, A. T. Melenevsky, K. P. Papukova and G. V. Samsonov 113 Improved separation of biologically active substances on some composite sorbents

S. E. Mallakpour, A. -R. Hajipour and K. Faghihi 119 Microwave-assisted synthesis of optically active poly(amide–imide)s with benzophenone and L-alanine linkages

T. Tripathy, R. P. Bhagat and R. P. Singh 125 The flocculation performance of grafted sodium alginate and other polymeric flocculants in relation to iron ore slime suspension

A. Kessat, A. Babadjamian and A. Iraqi 131 Chemical reactions on thiazolic polymers: selective oxidation of diverse alcohols with 2-methyl-4-poly(styrylmethyl) thiazolium hydrotribromide

A. Matsumoto, T. Ohashi and H. Aota 135 Characterization of precursors of crosslinked polymers in the free-radical crosslinking copolymerization of benzyl methacrylate with polyethylene glycol dimethacrylate

A. Buzarovska, S. Koseva, M. Cvetkovska and E. Nedkov 141 Poly(ethylene oxide) blends with poly(ethylene oxide)/poly(dicyclohexyl itaconate) block copolymers

I. M. Thakore, S. Desai, B. D. Sarawade and S. Devi 151 Studies on biodegradability, morphology and thermo-mechanical properties of LDPE/modified starch blends

N. M. El-Sawy and F. Al Sagheer 161 Radiation-induced graft polymerization of acrylic acid onto poly(tetrafluoroethylene-perfluorovinyl ether) copolymer films: complexation with some transition metals and biological activity

M. C. Senake Perera, U. S. Ishiaku and Z. A. Mohd. Ishak 167 Characterisation of PVC/NBR and PVC/ENR50 binary blends and PVC/ENR50/NBR ternary blends by DMA and solid state NMR

G. Pavlov, A. Grishchenko, M. Puaud, S. Hill and J. Mitchell 179 Orientational order in surface layers of gelatin films

S. C. George, K. N. Ninan and S. Thomas 183 Permeation of nitrogen and oxygen gases through styrene–butadiene rubber, natural rubber and styrene–butadiene rubber/natural rubber blend membranes

F. Li, J. Zuo, D. Song, Y. Li, L. Ding, Y. An, P. Wei, J. -B. Ma and B. He 193 The design, synthesis and characterization of polyurethane with super macromolecular size

Ni Xiuyuan, Hu Yuefang, Liu Bailin and Xu Xi 201 Mechanical degradation and mechanochemical copolymerization of hydroxyethyl cellulose

J. Gao, Y. Liu and F. Wang 207 Structure and properties of boron-containing bisphenol-A formaldehyde resin

Short Communications

X. M. Deng and J. Y. Hao 211 Synthesis and characterization of poly(3-hydroxybutyrate) macromer of bacterial origin

L. Wang, Y. Wang, Y. Yuan, J. Pan, C. Ye, L. Feng, Y. Qian and J. Huang 215 Ethylene polymerization using $(RCp)_2ZrCl_2$/MAO catalytic system

Volume 37, Number 2

T. Sulimenko, J. Stejskal, I. Křivka and J. Prokeš	219	Conductivity of colloidal polyaniline dispersions
L. Ghimici, I. Dranca, S. Dragan, T. Lupascu and A. Maftuleac	227	Hydrophobically modified cationic polyelectrolytes
M. D. Mihaylova, V. P. Krestev, M. N. Kresteva, A. Amzil and I. V. Berlinova	233	Amphiphilic graft copolymers with poly(oxy ethylene) side chains: supermolecular structure in solid state I. WAXS studies
T.-Y. Guo, M.-D. Song, G.-J. Hao and B.-H. Zhang	241	Compatibility and mechanical properties of polyamide-6/polystyrene/diblock poly(styrene-b-ethylene oxide) copolymer blends
Y. Pan and F. Xue	247	Lightly sulfonated poly(phenylene oxide)/poly(styrene-co-4-vinyl pyridine) blend: interpolymer interaction and miscibility
P. Król and B. Pilch-Pitera	251	Study on the synthesis of urethane oligomers as intermediate products for the production of linear polyurethanes
T.-H. Ho and C.-S. Wang	267	Modification of epoxy resin with siloxane containing phenol aralkyl epoxy resin for electronic encapsulation application
T. Sato, S. Hirohata, T. Fujimoto and M. Seno	275	Synthesis and radical polymerization of *N*,*N*-diethyl-α-fluoroacrylamide
A. E. Nesterov, Y. S. Lipatov and T. D. Ignatova	281	Effect of an interface with solid on the component distribution in separated phases of binary polymer mixtures
E. Hamciuc, C. Hamciuc, I. Sava and M. Bruma	287	Fluorinated heterocyclic polyamides
Dj. Gheysari, A. Behjat and M. Haji-Saeid	295	The effect of high-energy electron beam on mechanical and thermal properties of LDPE and HDPE
C.-K. Lin, J.-F. Kuo and C.-Y. Chen	303	Synthesis and properties of novel polyurethanes containing the mesogenic moiety of α-methylstilbene derivatives
C. P. Reghunadhan Nair, D. Mathew and K. N. Ninan	315	Imido-phenolic-triazine network polymers derived from maleimide-functional novolac
E. V. Anufrieva, R. A. Gromova, Yu. E. Kirsh, N. A. Yanul, M. G. Krakovyak, V. B. Lushchik, V. D. Pautov and T. V. Sheveleva	323	Complexing properties and structural characteristics of thermally sensitive copolymers of *N*-vinylpyrrolidone and *N*-vinylcaprolactam
E. E. Ehabe and S. A. Farid	329	Chemical kinetics of vulcanisation and compression set
M. Yoshikawa, T. Ooi and J.-i. Izumi	335	Novel membrane materials having EEE derivatives as a chiral recognition site

T. Buruiana, E. C. Buruiana, A. Airinei and I. Grecu 343 Synthesis and characterization of some polyurethane cationomers with photochromic azoaromatic groups

M. Edge, P. Faulds, D. G. Kelly, A. McMahon, G. C. Ranger and D. Turner 349 Tertiary phosphine complexes of nickel(II) thiocyanate: an evaluation of the photostabilisation of polystyrene

B. Kırcı and A. Güner 361 Effect of phenolic cosolutes on the main parameters, phase separation and theta temperature of dilute aqueous poly(*N*-vinyl-2-pyrrolidone) solutions

E.-S. Park, H.-K. Lee, H.-J. Choi, D.-C. Lee, I.-J. Chin, K.-H. Lee, C. Kim and J.-S. Yoon 367 Synthesis of poly(vinyl acetate)-graft-polystyrene and its compatibilizing effect on PS/PVAc blends

E. F. Panarin, K. K. Kalninsh and D. V. Pestov 375 Complexation of hydrogen peroxide with polyvinylpyrrolidone: ab initio calculations

R. L. Ballard, J. P. Williams, J. M. Njus, B. R. Kiland and M. D. Soucek 381 Inorganic–organic hybrid coatings with mixed metal oxides

S. Saha 399 Rheological and morphological characteristics of polyvinylchloride/polychloroprene blends – effect of temperature and mixing speed

I Announcement

Volume 37, Number 3

Y. Itoh, M. Inoue, H. Etoh, S. Kusano and T. Goshima 411 Alternating copolymers containing an aromatic chromophore in every monomer unit
IV. Intramolecular triplet–triplet annihilation in copolymer of 9-phenanthrylmethyl methacrylate and 9-vinylphenanthrene in rigid solution

P. Boochathum and W. Prajudtake 417 Vulcanization of *cis*- and *trans*-polyisoprene and their blends: cure characteristics and crosslink distribution

P. Boochathum and S. Chiewnawin 429 Vulcanization of *cis*- and *trans*-polyisoprene and their blends: crystallization characteristics and properties

J. M. González-Sáiz and C. Pizarro 435 Polyacrylamide gels as support for enzyme immobilization by entrapment. Effect of polyelectrolyte carrier, pH and temperature on enzyme action and kinetics parameters

Zhao Yuxia, Li Zhao, Qiu Ling, Zhai Jianfen, Zhou Jiayun, Shen Yuquan, Xu Gang and Ye Peixian 445 Synthesis and characterization of a novel nonlinear optical polyurethane polymer

E. El. Shafee 451 Investigation of the phase structure of poly(3-hydroxybutyrate)/poly(vinyl acetate) blends by dielectric relaxation spectroscopy

F. Zeng, S. Wu, F. Li and Z. Tong	459	Temperature dependence of the photorefractive property of PMMA-based composite
Jiang Bibiao, Hao Jianjun, Wang Wenyun, Jiang Luxia and Cai Xinxian	463	Synthesis and properties of novel polybismaleimide oligomers
Y. Tang, D. Wang, S. Guo and X.-Z. Zhao	471	Effect of γ-ray radiation on structure of P(VDF/TrFE) 80/20 mol% copolymers
Y. Katsumoto, F. Tsunomori, H. Ushiki, L. Letamendia and J. Rouch	475	Local motions of polystyrene chain in semi-concentrated polymer solutions
H. Kothandaraman and D. Sangeetha	485	Effect of the catalyst on the copolymers of styrene with methyl methacrylate by Ziegler–Natta polymerization
H.-Q. Xie, Z.-H. Liu, X.-D. Huang and J.-S. Guo	497	Synthesis and non-linear optical properties of four polyurethanes containing different chromophore groups
A. S. Brar and M. Thiyagarajan	507	One- and two-dimensional NMR studies on the compositional sequence and the microstructure of *trans*-4-methacryloyloxyazobenzene/styrene copolymers
R. Mani and M. Bhattacharya	515	Properties of injection moulded blends of starch and modified biodegradable polyesters
J. Huang, M.-L. Tu, Y.-C. Wang, C.-L. Li, K.-R. Lee and J.-Y. Lai	527	Dehydration of acetic acid by pervaporation through an asymmetric polycarbonate membrane
D. Cangialosi, C. Lindsay, P. T. McGrail and G. Spadaro	535	Study of methyl methacrylate polymerization in the presence of rubbers
D. Mihai, G. Mocanu and A. Carpov	541	Chemical reactions on polysaccharides I. Pullulan sulfation
N. Papke und J. Karger-Kocsis	547	^{13}C- und ^{1}H-NMR Analyse eines Nitrilkautschuks mit und ohne Glycidylmethacrylat Pfropfung
A. W. Trochimczuk, B. N. Kolarz and D. Jermakowicz-Bartkowiak	559	Metal ion uptake by ion-exchange/chelating resins modified with cyclohexene oxide and cyclohexene sulphide
F. El-Tantawy	565	Joule heating treatments of conductive butyl rubber/ceramic superconductor composites: a new way for improving the stability and reproducibility?
A. El-Shekeil, M. A. Khalid, H. Al-Maydama and A. Al-Karbooly	575	DC electrical conductivity of polydithiooxamide–metal complexes
H. Arslan, M. S. Eroğlu and B. Hazer	581	Ceric ion initiation of methyl methacrylate from poly(glycidyl azide)-diol
D. Roşu, C. Ciobanu and C. N. Caşcaval	587	Polyhydroxyacrylate–polyurethane semi-interpenetrating polymer networks
J.-B. Jun, J.-G. Park, D.-H. Kim and K.-D. Suh	597	Blends of polybutyleneterephthalate with ethylene–propylene elastomer containing isocyanate functional group

J.-C. Lee and M. H. Litt 603 Miscibility behaviors of poly(oxyalkylene)s with (methylsulfonyl)methyl side groups

D. Dong, S. Jiang, Y. Ni and B. Jiang 611 Syntheses and properties of thermotropic copolyesters of *p*-hydroxybenzoic acid

Short communications

A. Güner and G. Kibarer 619 The important role of thermodynamic interaction parameter in the determination of theta temperature, dextran/water system

P. Pakhomov, S. Khizhnyak, K. Kober and A. Tshmel 623 Network junctions in polyethylene thermo-reversible gels

Volume 37, Number 4

R. Lteif, L. Dammak, C. Larchet et B. Auclair 627 Détermination du nombre de transport d'un contre-ion dans une membrane échangeuse d'ions en utilisant la méthode de la pile de concentration

A. C. F. Moreira, F. O. Cario Jr. and B. G. Soares 641 Poly(ethylene-co-vinyl acetate-g-styrene) from macro-transfer agent: synthesis and use in polymer blend

N. Acar and T. Tulun 651 Investigation of interaction between poly(sodium phosphate) and *p*-aminobenzoic acid, hydrochloride

P. Bartolomeo, J. F. Chailan and J. L. Vernet 659 Curing of cyanate ester resin: a novel approach based on FTIR spectroscopy and comparison with other techniques

A. K. Nanda and K. Kishore 671 Novel phenomenon of autoacceleration in the free radical oxidative polymerization of vinyl monomers: a thermochemical approach

L. Atmaca, A. Onen and Y. Yagci 677 Allyloxy isoquinolinium salts as initiators for cationic polymerization

C. Dridi, N. Blel, A. Chaïeb, M. Majdoub, M. S. Roudesli, J. Davenas, H. B. Ouada and H. Mâaref 683 The effect of synthesis procedure on physical properties of poly(*p*-phenylene vinylene) derivatives

K. Subramanian, S. Nanjundan and A. V. Rami Reddy 691 Synthesis and characterization of copolymers with a photosensitive group

Y. Wang and C. Pan 699 Dielectric behavior and magnetic properties of poly(styrene-co-acrylic acid)metal microspheres

S. Masuda, K. Minagawa, M. Tsuda and M. Tanaka 705 Spontaneous copolymerization of acrylic acid with 4-vinylpyridine and microscopic acid dissociation of the alternating copolymer

S. H. Qin and K. Y. Qiu 711 A new polymerizable photoiniferter for preparing poly(methyl methacrylate) macromonomer

M. T. Ramesan, G. Mathew, B. Kuriakose and R. Alex 719 Role of dichlorocarbene modified styrene butadiene rubber in compatibilisation of styrene butadiene rubber and chloroprene rubber blends

G. Nemtoi, C. Beldie, C. Tircolea, I. Popa, I. Cretescu, I. Humelnicu and D. Humelnicu 729 Behaviour of the poly(maleic anhydride-co-vinyl acetate) copolymer in aqueous solutions

S. Soares, N. M. P. S. Ricardo, S. Jones and F. Heatley 737 High temperature thermal degradation of cellulose in air studied using FTIR and ^{1}H and ^{13}C solid-state NMR

O. Cankurtaran, A. Saraç and F. Yilmaz 747 Equation-of-state exchange parameters of poly (methyl methacrylate) with some aliphatic esters

T. Abe, K. Hirano, Y. Shiraishi, N. Toshima and M. Kaneko 753 Electrocatalysis for proton reduction by polypyridyl platinum complexes dispersed in a polymer membrane

X. Yang, J. Cai, X. Kong, W. Dong, G. Li, W. Ling and E. Zhou 763 Size-affected crystallization of *trans*-1,4-polybutadiene

J. Lei and X. Liao 771 Surface graft copolymerization of acrylic acid onto LDPE film through corona discharge

K. Alimi, P. Molinie, M. Majdoub, J. C. Bernede, J. L. Fave, H. Bouchriha and M. Ghedira 781 Synthesis and characterization of copolymer derived from poly-phenylene-vinylene potentially luminescent copolymers

J.-L. Ou, J.-K. Yang and H. Chen 789 Styrene/potassium persulfate/water systems: effects of hydrophilic comonomers and solvent additives on the nucleation mechanism and the particle size

N. Bicak, D. C. Sherrington and H. Bulbul 801 Vinylamine polymer via chemical modification of PVC

O. H. Wen, S.-i. Kuroda and H. Kubota 807 Temperature-responsive character of acrylic acid and *N*-isopropylacrylamide binary monomers-grafted celluloses

A. Kumar, N. K. Misra, D. Kapoor, P. Tandon, S. Munoz-Guerra and V. D. Gupta 815 Normal modes and their dispersion in poly(α-isobutyl-β-L-aspartate)
I. (4/1 Helix)

D. Kapoor, N. K. Misra, A. Kumar, P. Tandon, S. Munoz-Guerra and V. D. Gupta 829 Normal modes and their dispersion in poly(α-isobutyl, β-L-aspartate)
II. 13/4 Helix

G. Safoula, K. Napo, J. C. Bernède, S. Touihri and K. Alimi 843 Electrical conductivity of halogen doped poly(*N*-vinylcarbazole) thin films

C. Albano, R. Sciamanna, R. Gónzalez, J. Papa and O. Navarro 851 Analysis of nylon 66 solidification process

Short communications

T. Jana, B. C. Roy and S. Maiti 861 Biodegradable film
6. Modification of the film for control release of insecticides

N. Olaru, A. Andriescu and L. Olaru 865 On the hydrolysis of cellulose acetate in toluene/acetic acid/water system

Volume 37, Number 5

W. Xue, S. Champ and M. B. Huglin	869	Thermoreversible swelling behaviour of hydrogels based on *N*-isopropylacrylamide with a zwitterionic comonomer
P. Favresse, A. Laschewsky, C. Emmermann, L. Gros and A. Linsner	877	Synthesis and free radical copolymerisation of new zwitterionic monomers: amphiphilic carbobetaines based on isobutylene
M. Ilavský, H. W. Ulmer, K. te Nijenhuis and W. J. Mijs	887	Network formation in polyurethanes based on triisocyanate and diethanolamine derivatives
X. Allonas, C. Grotzinger, J. Lalevee, J. P. Fouassier and M. Visconti	897	Structure/properties relationships in photoinitiators of polymerization 12. A novel bifunctional compound
J. K. Lee, K. H. Lee and B. S. Jin	907	Structure development and biodegradability of uniaxially stretched poly(L-lactide)
M. Shibata, K.-I. Kawashita, R. Yosomiya and Zhang Gongzheng	915	Electrochromic properties of polypyrrole composite films in solid polymer electrolyte
S.-H. Jin, J.-E. Jung, D.-K. Park, B.-C. Jeon, S.-K. Kwon, Y.-H. Kim, D.-K. Moon, S.-H. Kim and Y.-S. Gal	921	Synthesis and characterization of color tunable electro-luminescent polymer by blending oxadiazole containing polymer
A. H. Al-Dujaili, A. T. Atto and A. M. Al-Kurde	927	Synthesis and liquid crystalline properties of models and polymers containing thiazolo[5,4-d]thiazole and siloxane flexible spacers
J. Scheirs, G. Camino and W. Tumiatti	933	Overview of water evolution during the thermal degradation of cellulose
B. Raj, V. Annadurai, R. Somashekar, M. Raj and S. Siddaramaiah	943	Structure–property relation in low-density polyethylene–starch immiscible blends
M. Modesti and A. Lorenzetti	949	An experimental method for evaluating isocyanate conversion and trimer formation in polyisocyanate–polyurethane foams
A. André-Abrant, J.-L. Taverdet et J. Jay	955	Microencapsulation par évaporation de solvant
Y.-J. Park, M. J. Monteiro, S. van Es and A. L. German	965	Effect of ambient crosslinking on the mechanical properties and film morphology of PSTY-P(BA-co-AAEMA) reactive composite latexes
S. Palaniappan	975	Chemical and electrochemical polymerization of aniline using tartaric acid
R. Budreckienė, R. Lazauskaitė, R. Kavaliūnas and J. V. Gražulevičius	983	Photocopolymerization of 9-(2,3-epoxypropyl)carbazole with tetrahydrofuran
D. Papanagopoulos and A. Dondos	989	Universal behavior of linear and star-shaped polymers using relations derived from the blob theory and two parameter theory
M. Frounchi	995	Use of rigid thermoplastics for toughening an optical network polymer

F. M. Rabagliati, M. A. Pérez, M. A. Soto, A. M. de Ilarduya and S. Muñoz-Guerra 1001 Copolymerization of styrene by diphenylzinc-additive systems
I. Copolymerization of styrene/*p-tert*-butylstyrene by Ph_2Zn–metallocene–MAO systems

G. Zhu, C. Li and Z. Li 1007 The effects of alkali dehydroabietate on the crystallization process of polypropylene

B. Massoumi and A. Entezami 1015 Controlled release of sulfosalicylic acid during electrochemical switching of conducting polymer bilayers

W. Marconi, A. Piozzi and R. Marcone 1021 Synthesis and characterization of novel carboxylated ethylene-vinyl alcohol polymers

N. Chen and L. Hong 1027 A study on polypyrrole-coated polystyrene sulfonic acid microspheres – a proton electrolyte

H. P. S. A. Khalil, H. Ismail, H. D. Rozman and M. N. Ahmad 1037 The effect of acetylation on interfacial shear strength between plant fibres and various matrices

T. Białopiotrowicz and B. Jańczuk 1047 The changes of the surface free energy of the adsorptive gelatin films

C. Özeroğlu and A. E. Kurtoğlu 1053 The synthesis and characterization of acrylamide polymer containing *R*-(+)-cysteine end groups

K.-Y. Kim, B.-H. Ryu, D.-J. Byun and S.-M. Shin 1061 Thermally stimulated current study in γ-ray irradiated low density polyethylene

K. P. Papukova, A. T. Melenevsky, V. S. Yurchenko, E. S. Nikiforova, E. B. Chizhova and G. V. Samsonov 1065 The effect of solvent nature upon structure and properties of crosslinked polyelectrolytes based on methacrylic acid and *N,N′*-hexamethylenedimethacrylamide

Short communications

A. Matsumoto, R. Tanno, H. Aota and J.-i. Ikeda 1071 ESR spectroscopic pursuit of radical accumulation processes in the proliferous benzyl methacrylate/neopentyl glycol dimethacrylate copolymerizations in the presence of lauryl mercaptan as chain transfer agent

M. Lu, M. Shim and S. Kim 1075 Reaction mechanism of an unsaturated polyester system containing thickeners

Volume 37, Number 6

N. Gogibus, U. Maschke, F. Benmouna, B. Ewen, X. Coqueret and M. Benmouna 1079 Phase diagrams of poly(dimethylsiloxane)/E7 mixtures

A. Saiter, C. Devallencourt, J. M. Saiter and J. Grenet 1083 Thermodynamically "strong" and kinetically "fragile" polymeric glass exemplified by melamine formaldehyde resins

C. M. Fellows and E. Senogles 1091 Effect of ethyl aluminium sesquichloride on the relative reactivity of methyl methacrylate and buta-1,3-dienes towards initiator radicals

T. M. Madkour and A. Soldera	1105	Tacticity induced molecular microstructure dependence of the configurational properties of metallocene-synthesized polypropylenes
H. Shaban, M. A. Al-Sarawi, A. Behbehane and J. Mathew	1115	Thermotropic polymers: synthesis and kinetic analysis of homopoly(esters)
L. Valko, E. Klein, P. Kovařík, T. Bleha and P. Šimon	1123	Kinetic study of thermal dehydrochlorination of poly(vinyl chloride) in the presence of oxygen III. Statistical thermodynamic interpretation of the oxygen catalytic activity
U. S. Toti and T. M. Aminabhavi	1133	Ultrasonic and refractometric studies on polystyrene in 1,4-dioxane + tetrahydrofuran mixtures at 25°C
R. Faez and M.-A. De Paoli	1139	A conductive rubber based on EPDM and polyaniline I. Doping method effect
C. Bratschkov	1145	FTIR spectroscopy study of the UV irradiation induced changes in an anthracene containing copolymer
M. Sato and A. Kogawa	1151	Preparation and thermal properties of semi-rigid homopoly(imide–carbonate)s composed of symmetric aromatic diimide units using diphenyl carbonate
P. V. C. Rao, V. K. Upadhyay and S. Muthukumaru Pillai	1159	Hydrogenation of polybutadienes catalyzed by $RuCl_2(PPh_3)_3$ and a structural study
Yu. I. Puzin, A. E. Egorov and V. A. Kraikin	1165	Polymerization of methyl methacrylate and styrene in presence of phthalides
E. G. Chaves and M. F. V. Marques	1175	Effect of experimental conditions on propylene polymerization with ethylene(fluorenyl)(cyclopentadienyl)zirconium dichloride/methylaluminoxane catalyst system
Y. Chen, Y. Zhang, Z. Shen, R. Kou and L. Chen	1181	Ethylene polymerization catalyzed by rare earth calixarene catalytic system
W. Li, Z. Shen and Y. Zhang	1185	Activity and mechanism of rare earth solid superacid for initiating ring-opening polymerization of chloromethyl thiirane
D. Balköse, H. İ. Gökçel and S. E. Göktepe	1191	Synergism of Ca/Zn soaps in poly(vinyl chloride) thermal stability
S. E. Mallakpour, A.-R. Hajipour, A.-R. Mahdavian, A. Zadhoush and F. Ali-Hosseini	1199	Microwave assisted oxidation of polyethylene under solid-state conditions with potassium permanganate
Zhang Zhaoying, Huang Yuhui, Liao Bing and Cong Guangming	1207	Studies on particle size of waterborne emulsions derived from epoxy resin
T. Jeevananda, Muneera Begum and Siddaramaiah	1213	Studies on polyaniline filled PU/PMA interpenetrating polymer networks

G. M. Pavlov, G. F. Kolbina, I. N. Shtennikova, N. A. Michailova and E. V. Korneeva 1219 Dynamo-optical properties of methylcellulose solutions and the optical anisotropy of glucopyranose ring

J. W. Cho, K. S. Woo, B. C. Chun and J. S. Park 1227 Ultraviolet reflective and mechanical properties of polyethylene mulching films

Z. S. Nurkeeva, G. A. Mun, V. V. Khutoryanskiy and A. D. Sergaziev 1233 Complex formation between poly(vinyl ether of diethyleneglycol) and polyacrylic acid
I. Effect of low molecular salts and phenols additives

M. Popa, I. C. Alupei et M. D. Bucevschi 1239 Complexes interpolymères à base de xanthane et gélatine

D. Benda, J. Šňupárek and V. Čermák 1247 Oxygen inhibition and the influence of pH on the inverse emulsion polymerization of the acrylic monomers

M. Velikova 1255 Study of the effect of the nature of catalyst systems on the molecular structure and properties of ultra-high molecular weight polyethylene

L.-X. Zhang and A. Xia 1263 Probability of triple contacts in polymer chains

U. S. Yousef, A. A. Hathoot and M. Abdel-Azzem 1267 Electrochemical synthesis and characterization of poly[8-(3-acetylimino-6-methyl-2,4-dioxopyran)-1-aminonaphthalene] film electrodes in acidic aqueous medium

L.-X. Zhang, A. Xia and D.-L. Zhao 1277 Dynamics of stiff chain

H. D. Rozman, G. S. Tay, R. N. Kumar, A. Abusamah, H. Ismail and Z. A. Mohd. Ishak 1283 Polypropylene–oil palm empty fruit bunch–glass fibre hybrid composites: a preliminary study on the flexural and tensile properties

Volume 37, Number 7

P. Gamez, C. Simons, R. Steensma, W. L. Driessen, G. Challa and J. Reedijk 1293 A spectacular increase in the polymerisation rate of 2,6-dimethylphenol induced by acetonitrile

D. Derouet, F. Morvan and J.-C. Brosse 1297 Chemical modification of 1,4-polydienes by di (alkyl or aryl)phosphates

D. Derouet, J.-C. Brosse and A. Challioui 1315 Alcoholysis of epoxidized polyisoprenes by direct opening of oxirane rings with alcohol derivatives
1. Modelization of the reaction

D. Derouet, J.-C. Brosse and A. Challioui 1327 Alcoholysis of epoxidized polyisoprenes by direct opening of oxirane rings with alcohol derivatives
2. Study on epoxidized 1,4-polyisoprene

N. A. Weir and M. Delaney-Luu 1339 The photochemistry of poly(4′-ethoxyacrylophenone) in the solid state

M. R. Giles and S. M. Howdle 1347 New unsaturated surfactants for the dispersion polymerisation of methyl methacrylate in supercritical carbon dioxide

G. David, V. Alupei and B. C. Simionescu	1353	End-capping of living poly(2-methyl-2-oxazoline) with maleic acid
D. Gan, S. Lu, C. Song and Z. Wang	1359	Mechanical properties and frictional behavior of a mica-filled poly(aryl ether ketone) composite
H. Kubota, I. G. Suka, S.-i. Kuroda and T. Kondo	1367	Introduction of stimuli-responsive polymers into regenerated cellulose film by means of photografting
V. M. Kagathara and P. H. Parsania	1373	Sound velocity and thermodynamic parameters of chloro epoxy resins of bisphenol-C solutions in chlorinated and aprotic solvents at 35°C and 40°C
A. D. Drozdov	1379	Physical aging in amorphous polymers: comparison of observations in calorimetric and mechanical tests
S. Sarkar and B. Adhikari	1391	Synthesis and characterization of lignin–HTPB copolyurethane
J. W. Qian, M. Wang, D. L. Han and R. S. Cheng	1403	A novel method for estimating unperturbed dimension [η] of polymer from the measurement of its [η] in a non-theta solvent
H. Sawada, M. Kurachi, K. Takishita, T. Tanedani, N. Terasawa, Y. Hayakawa and T. Kawase	1409	Synthesis and applications of bis(perfluorodecalin-1-carbonyl) peroxide
M. Teodorescu	1417	Synthesis of (vinyl acetate)-terminated polystyrene macromonomers by free-radical polymerization in the presence of vinyl iodoacetate
M. A. Khalid, A. G. El-Shekeil and F. A. Al-Yusufy	1423	A study of a thienylene–phenylene polyazomethine and its copper complex
H. Sawada, K. Yanagida, Y. Inaba, M. Sugiya, T. Kawase and T. Tomita	1433	Synthesis and antibacterial activity of novel fluoroalkyl end-capped cooligomers containing dimethyl(octyl)ammonium segments
W. Charoenpinijkarn, M. Suwankruhasn, B. Kesapabutr, S. Wongkasemjit and A. M. Jamieson	1441	Sol–gel processing of silatranes
A. Hartwig, A. Harder, A. Lühring and H. Schröder	1449	(9-Oxo-9H-fluoren-2-yl)-phenyl-iodonium hexafluoroantimonate(V) – a photoinitiator for the cationic polymerisation of epoxides
F. Carrasco, P. Pagès, S. Pascual and X. Colom	1457	Artificial aging of high-density polyethylene by ultraviolet irradiation
I. Katime, R. Novoa and F. Zuluaga	1465	Swelling kinetics and release studies of theophylline and aminophylline from acrylic acid/*n*-alkyl methacrylate hydrogels
L. H. Gan, G. Roshan Deen, Y. Y. Gan and K. C. Tam	1473	Water sorption studies of new pH-responsive *N*-acryloyl-*N*′-methyl piperazine and methyl methacrylate hydrogels
L. H. Gan, Y. Y. Gan and C. Y. Liau	1479	Studies of photoluminescence of *p*-phenylenevinylene oligomer and its polymer blends

A. Eliassi and H. Modarress 1487 Water activities in binary and ternary aqueous systems of poly(ethylene glycol), poly(propylene glycol) and dextran

A. D. Sagar, R. D. Shingte, P. P. Wadgaonkar and M. M. Salunkhe 1493 Polyamides containing *s*-triazine rings and fluorene "cardo"groups: synthesis and characterization

D. Donescu, L. Fusulan, C. Petcu, A.-G. Boborodea and D.-S. Vasilescu 1499 Copolymerization of vinyl acetate with acrylic monomers in microemulsion

Short communication
H.-R. Lin 1507 Solution polymerization of acrylamide using potassium persulfate as an initiator: kinetic studies, temperature and pH dependence

I Announcements

Volume 37, Number 8

H. Valentová, Z. Sedláková, J. Nedbal and M. Ilavský 1511 Formation, structure, thermal and dynamic mechanical behaviour of ordered polyurethane networks based on mesogenic diol

J. F. Stumbé, D. Limal, M. Kessler and G. Riess 1519 Kinetic study of the oligomerization of styrene in the presence of α-thioglycerol – comparison between batch and semi-batch processes

E. Favre and S. Girard 1527 Release kinetics of low molecular weight solutes from mixed cellulose ethers hydrogels: a critical experimental study

J. Irissin-Mangata, G. Bauduin, B. Boutevin and N. Gontard 1533 New plasticizers for wheat gluten films

N. Sekkak, A. Mas, M. Berrada, A. El Harfi et F. Schue 1543 Membranes polysulfone et polysulfone modifié pour la deshydratation de l'éthanol par pervaporation

W. Cai and R. Huang 1553 Study on gelation of partially hydrolyzed polyacrylamide with titanium(IV)

X. Z. Ding, A. Fischer, S. Yang, P. Wu, A. Brembilla and P. Lochon 1561 Solvent effects on TEMPO-mediated radical polymerizations: behaviour of 3-vinylpyridine in a protic solvent

S. Dragan and M. Cristea 1571 Influence of low-molecular-weight salts on the formation of polyelectrolyte complexes based on polycations with quaternary ammonium salt groups in the main chain and poly(sodium acrylate)

B. G. Soares, F. F. Alves, M. G. Oliveira, A. C. F. Moreira, F. G. Garcia and M. de F. S. Lopes 1577 The compatibilization of SBR/EVA by mercapto-modified EVA

M. Luo, J. Huang, Y. Chen and J. Xu 1587 Correlation between shape and size of linear polymer chains

N. Mignard, A. Zerroukhi et B. Boinon	1591	Etude cinétique de la dégradation thermique de copolymères du cyanure de vinylidène et de styrènes *para* substitués par analyse thermogravimétrique et chromatographie en phase gazeuse couplée à la spectrométrie de masse
N. Acar and T. Tulun	1599	Interactions of polymer–small molecule complex with cupric (II) ions in aqueous ethanol solution
K. Benzekri, A. Essamri, N. Toreis, A. Souissi, T. Maarouf et A. Mas	1607	Membranes d'alcool polyvinylique traitées par plasma d'acide acrylique. Application à la déshydratation des mélanges eau–éthanol par pervaporation
M. J. Abad, L. Barral, J. Cano, J. López, P. Nogueira, C. Ramírez and A. Torres	1613	Thermal decomposition behavior and the mechanical properties of an epoxy/cycloaliphatic amine resin with ABS
T. Shinozuka, M. Shirai and M. Tsunooka	1625	Polymers as sulfonic acid generator on irradiation at 146 nm
Z. A. Mohd Ishak, A. Ariffin and R. Senawi	1635	Effects of hygrothermal aging and a silane coupling agent on the tensile properties of injection molded short glass fiber reinforced poly(butylene terephthalate) composites
X. Zhan and M. Yang	1649	Polymerization of *p*-diethynylbenzene catalyzed by $(\pi\text{-}C_5H_5)(PPh_3)Ni(C{\equiv}CC_6H_4C{\equiv}CH)$
B. R. Nayak and R. P. Singh	1655	Synthesis and characterization of grafted hydroxypropyl guar gum by ceric ion induced initiation
C. T. Ratnam, M. Nasir, A. Baharin and K. Zaman	1667	The effect of electron beam irradiation on the tensile and dynamic mechanical properties of epoxidized natural rubber
E. El. Shafee	1677	The influence of semicrystalline morphology on the dielectric relaxation properties of poly(3-hydroxybutyrate)
A. Eceiza, K. de la Caba, V. Gascón, M. A. Corcuera and I. Mondragon	1685	The influence of molecular weight and chemical structure of soft segment in reaction kinetics with tolyl isocyanate
N. K. Pokhriyal, P. G. Sanghvi, P. A. Hassan and S. Devi	1695	Transparent nanolatexes by polymerization of precursor emulsions
W. H. Jiang, H. Liu, H. J. Hu and S. J. Han	1705	Infinite dilution diffusion coefficients of *n*-hexane, *n*-heptane and *n*-octane in polyisobutylene by inverse gas chromatographic measurements
Y. Dong, Y. Wu, J. Wang and M. Wang	1713	Influence of degree of molar etherification on critical liquid crystal behavior of hydroxypropyl chitosan
D. Kumar	1721	Poly(*o*-toluidine) polymer as electrochromic material

Volume 37, Number 9

J. Kadokawa, Y. Iwasaki, S. Inomata and H. Tagaya	1727	Group-transfer copolymerization of cyclic trimethylsilyl dienolate with coumarin
J. Schellenberg and T. H. Newman	1733	Effect of phenylsilane on the syndiospecific polymerization of styrene in the presence of half-sandwich metallocenes
R. Roma-Luciow, L. Sarraf and M. Morcellet	1741	Complexes of poly(acrylic acid) with some divalent, trivalent and tetravalent metal ions
A. Cihaner, H. N. Testereci and A. M. Önal	1747	Electrochemical polymerization of 4-allylanisole
N. Valdebenito, F. R. Díaz, L. H. Tagle, L. Gargallo and D. Radic	1753	Functionalized copolymers. Methyl methacrylate-(4-hexyloxy-1-phenyloxycarbonyl)-1,4-phenylene ethylene copolymers: synthesis, monomer reactivity ratios, thermal stability and solubility
H. D. Rozman, G. S. Tay, A. Abubakar and R. N. Kumar	1759	Tensile properties of oil palm empty fruit bunch–polyurethane composites
A. Cihaner and A. M. Önal	1767	Synthesis and characterization of fluorine-substituted polyanilines
L.-H. Gan, W. Cai and K. C. Tam	1773	Studies of phase transition of aqueous solution of poly(*N*,*N*-diethylacrylamide-co-acrylic acid) by differential scanning calorimetry and spectrophotometry
D. Braun, H. Elsässer and F. Hu	1779	Free radical terpolymerization of three non-homopolymerizable monomers. Part III
S. Y. Park, S. H. Cho, S. H. Yuk and M. S. Jhon	1785	Characterization of temperature-induced phase transition of polymer complex composed of poly(*N*,*N*-dimethylamino)ethyl methacrylate and poly(ethylacrylamide) by ^{1}H-NMR relaxation time measurement
W. Yu and T.-M. Ko	1791	Surface characterizations of potassium-hydroxide-modified Upilex-S® polyimide at an elevated temperature
Y. I. Puzin, R. K. Yumagulova and V. A. Kraikin	1801	Radical polymerization of methyl methacrylate and styrene in the presence of ferrocene
B. Yang, W.-h. Zhu, X.-l. Wang, X.-z. Tang and P.-f. Zhu	1813	Study on ionic conductive property of polyurethane/oligo-ether sulfate complex
A. C. Duncan, D. Boughner, G. Campbell and W. K. Wan	1821	Preparation and characterization of a poly(2-hydroxyethyl methacrylate) biomedical hydrogel
A. S. Brar and R. Kumar	1827	Sequence determination of *N*-vinyl-2-pyrrolidone/acrylonitrile copolymers by NMR spectroscopy
N. Watanabe, I. Akiba and S. Akiyama	1837	Compatibilizing effects of poly(styrene-*co*-methacrylic acid) on immiscible blends of polystyrene and poly(ethylene glycol)

M.-N. Kim, K.-H. Kim, H.-J. Jin, J.-K. Park and J.-S. Yoon 1843 Biodegradability of ethyl and *n*-octyl branched poly(ethylene adipate) and poly(butylene succinate)

Y. Li, D. Yan and X. Zhu 1849 Crystal forms of nylon 10 12 crystallized from melt and after solution casting

X. Kong, X. Yang, G. Li, X. Zhao, E. Zhou and D. Ma 1855 Nonisothermal crystallization kinetics: poly(ethylene terephthalate)–poly(ethylene oxide) segmented copolymer and poly(ethylene oxide) homopolymer

B. Fernández. M. A. Corcuera, C. Marieta and I. Mondragon 1863 Rheokinetic variations during curing of a tetrafunctional epoxy resin modified with two thermoplastics

J. W. Qian, G. H. Zhou and W. Y. Yang 1871 Conformational inversion of polyethylene–polyvinyl acetate graft copolymer in selective solvents by viscometry

Y. Opornsawad, B. Ksapabutr, S. Wongkasemjit and R. M. Laine 1877 Formation and structure of tris(alumatranyloxy-*i*-propyl)amine directly from $Al(OH)_3$ and triisopropanolamine

A. Conte and M. F. V. Marques 1887 Magnesium chloride supported metallocene catalysts in olefin polymerizations

C. Wang, X. Huang and J. Yang 1895 Cationic cyclization of styrene–butadiene rubber

E. Avram, C. Lăcătus and G. Mocanu 1901 Polymers with pendent functional groups
VII. Polysaccharide derivatives containing viologen groups

M. Yuan and X. Deng 1907 Synthesis and characterization of poly(ethylene glycol)-block-poly(amino acid) copolymer

Z. Zhu and R. Zhuo 1913 Slow release behavior of starch-g-poly(vinyl alcohol) matrix for 2,4,5-trichlorophenoxyacetic acid herbicide

A. P. Mathew, S. Packirisamy, H. J. Radusch and S. Thomas 1921 Effect of initiating system, blend ratio and crosslink density on the mechanical properties and failure topography of nano-structured full-interpenetrating polymer networks from natural rubber and polystyrene

Short communications

U. A. Pinto, L. L. Y. Visconte and R. C. R. Nunes 1935 Mechanical properties of thermoplastic polyurethane elastomers with mica and aluminum trihydrate

H. Yang, P. Zhu, C. Peng, S. Ma, Q. Zhu and C. Fan 1939 Viscometric study of polyvinyl alcohol in NaCl/water solutions ranged from dilute to extremely dilute concentration

Volume 37, Number 10

A. Etxeberria, J. J. Iruin, A. Unanue, P. J. Iriondo, M. J. Fernandez-Berridi and A. Martinez de Ilarduya	1943	Miscibility windows of poly(vinyl methyl ether) with modified phenoxy resin
D. H. Choi, S. J. Oh, H. B. Cha and J. Y. Lee	1951	Photochemically bifunctional epoxy compound containing a chalcone moiety
Z. Zhang, Y. Xie and D. Ma	1961	Relationship between miscibility and chemical structures in reactive blending of poly(bisphenol A carbonate) and poly(ethylene terephthalate)
Z. F. Zhou, H. Huang and N. C. Liu	1967	Kinetics and mechanism of grafting of oleic acid onto acrylonitrile-butadiene-styrene terpolymer
Jiang Bibiao, Yang Yang, Jin Xiang, Zhu Rongqi, Hao Jianjun and Wang Wenyun	1975	Preparation of hyperbranched polymers by self-condensing vinyl radical polymerization
S. H. Yuk and S. H. Cho	1985	Temperature-induced phase transition at the polymer–water interface
G. Koeckelberghs, M. Van Beylen and C. Samyn	1991	Synthesis of new polyisocyanates
H.-Q. Xie, J.-G. Guan and J.-S. Guo	1997	Synthesis and properties of ionic conducting crosslinked polymer and copolymer based on dimethacryloyl poly(ethylene glycol)
T. Rusu, S. Ioan and S. Corneliu Buraga	2005	Amphyphylic copolymers as water delivery systems
D. Gheysari and A. Behjat	2011	Radiation crosslinking of LDPE and HDPE with 5 and 10 MeV electron beams
K. Aydeniz, A. M. Önal and D. Kisakürek	2017	Electrochemical polymerisation of (2,4,6-trihalophenolato)nickel(II) complexes in solution
B. Liu and C. P. Hu	2025	The reverse atom transfer radical polymerization of methyl methacrylate in the presence of some polar solvents
N. Chantarasiri, N. Sutivisedsak and C. Pouyuan	2031	Thermally stable metal-containing epoxy polymers from a epoxy resin-Schiff base metal complex-maleic anhydride system
L. Finelli, N. Lotti and A. Munari	2039	Crystallization kinetics and melting behavior of poly(butylene isophthalate/terephthalate) random copolyesters
S. Şen and N. Nugay	2047	Tuning of final performances of unsaturated polyester composites with inorganic microsphere/platelet hybrid reinforcers
T. Sato, N. Morita and M. Seno	2055	Effect of 1,1-diphenylethylene on the radical polymerization of di-*n*-butyl itaconate in benzene
J. Wootthikanokkhan, M. Peesan and P. Phinyocheep	2063	Atom transfer radical polymerizations of (meth)-acrylic monomers and isoprene

K. Ishizu and H. Takeda 2073 Structural ordering of two-component hyperbranched copolymers

S. Niyogi, S. Maiti and B. Adhikari 2079 Modification of a polyimide film by blending with nylon 6. Its characterization and thermal property evaluation

E. El-Shafee, G. R. Saad and S. M. Fahmy 2091 Miscibility, crystallization and phase structure of poly(3-hydroxybutyrate)/cellulose acetate butyrate blends

L.-B. Wu, B.-G. Li, K. Cao and B.-F. Li 2105 Styrene polymerization with ternary neodymium-based catalyst system: effects of catalyst preparation procedures

A. Pourjavadi, B. F. Mirjalili, A. A. Entezami and M. J. Zohuriaan-Mehr 2111 Novel azo-containing polymethacrylates bearing spiroacetal-norbornene moiety and methylene spacers: synthesis and characterization

S. C. Moreira and M. de Fátima V. Marques 2123 Polyethylene synthesis using zeolite as support for metallocene catalyst

J. Kim, J. H. Kim, T. K. Shin, H. J. Choi and M. S. Jhon 2131 Miscibility and rheological characteristics of biodegradable aliphatic polyester and linear low density polyethylene blends

Z. Cao, H. Ge and S. Lai 2141 Studies on synthesis and adsorption properties of chitosan cross-linked by glutaraldehyde and Cu(II) as template under microwave irradiation

Short communications

A. Zilkha 2145 Non-bond crosslinked polymer hydrogels

B. Nandan, B. Lal, K. N. Pandey, S. Alam, L. D. Kandpal and G. N. Mathur 2147 Miscibility behaviour of poly(ether ether ketone)/poly(ether ketone) blends – thermal and morphological studies

Huang Yiping, Luo Xiaolie and Ma Dezhu 2153 Ringed spherulite morphology and compatibility in the binary blends of poly(ε-caprolactone) with ethyl cellulose

Volume 37, Number 11

I. Krupa and I. Chodák 2159 Physical properties of thermoplastic/graphite composites

E. Bureau, K. Chebli, C. Cabot, J. M. Saiter, F. Dreux, S. Marais and M. Metayer 2169 Fragility of unsaturated polyester resins cured with styrene: influence of the styrene concentration

M. D. Mihaylova, T. E. Nedkov, V. P. Krestev and M. N. Kresteva 2177 Supermolecular structure of poly(propylene-co-ethylene)/poly(ethylene-co-vinyl acetate) blends irradiated with fast electrons. SEM, SAXS and DSC studies

S. S. Pesetskii, B. Jurkowski, Y. A. Olkhov, O. M. Olkhova, I. P. Storozhuk and U. M. Mozheiko 2187 Molecular and topological structures in polyether block copolymers

M. I. Abdel-Hamid, G.A.-W. Ahmed and R. M. Hassan	2201	Kinetics and mechanism of oxidation of poly(vinyl alcohol) macromolecule by chromic acid in aqueous perchloric acid
P. Natarajan and C. Raja	2207	Novel features of the interpolymer self-organisation behaviour investigated using covalently linked protoporphyrin IX as fluorescent probe in the macromolecules
O. Catanescu, M. Grigoras, G. Colotin, A. Dobreanu, N. Hurduc and C. I. Simionescu	2213	Synthesis and characterization of some aliphatic–aromatic poly(Schiff base)s
P. C. Rodrigues, M. Muraro, C. M. Garcia, G. P. Souza, M. Abbate, W. H. Schreiner and M. A. B. Gomes	2217	Polyaniline/lignin blends: thermal analysis and XPS
A. Cirpan, S. Alkan, L. Toppare, G. David and Y. Yagci	2225	Synthesis and electroactivity of pyrrole end-functionalized poly(2-methyl-2-oxazoline)
T. Budtova, N. Bel'nikevich and Z. Zoolshoev	2231	Anomalous behaviour of ultrahigh molecular weight poly(methyl methacrylate) in the converging and shear flows
L. Pinchuk, B. Jurkowski, B. Jurkowska, A. Kravtsov and V. Goldade	2239	On some variations in rubber charge state during processing
H. M. Jeong, B. K. Ahn and B. K. Kim	2245	Miscibility and shape memory effect of thermoplastic polyurethane blends with phenoxy resin
U. N. Okwu and F. E. Okieimen	2253	Preparation and properties of thioglycollic acid modified epoxidised natural rubber and its blends with natural rubber
X. Zheng and W. Cao	2259	Interaction of main chain cationic polyelectrolyte with sodium dodecyl sulfate
H. S. Patel and V. C. Patel	2263	Polyimides containing *s*-triazine ring
I. Katime, J. Arellano, E. Mendizábal and J. Puig	2273	Synthesis and characterization of poly(*n*-hexyl methacrylate) in three-component microemulsions
H. I. Shaban, H. Al-Adwani, A. Behbehani and J. Mathew	2281	Kinetics of the polymerization of methylhydroquinone diacetate, terephthalic acid and poly(ethylene-terephthalate)
K. J. Maria Das, S. Rastogi, P. Tandon and V. D. Gupta	2295	Vibrational dynamics and phonon dispersion in poly(β-benzyl-L-aspartate) (β-sheet)
N. Daniel and A. K. Srivastava	2313	Radical polymerization of vinyl acetate using *p*-acetylbenzylidene triphenylarsonium ylide as an initiator
S. I. Kuzina and A. I. Mikhailov	2319	Photo-oxidation of polymers 4. The dual mechanism of polystyrene photo-oxidation: a hydroperoxide and a photochain one
P. Bera and S. K. Saha	2327	Molecular dimension and interaction parameters of polyacrylamide in water–dimethylsulphoxide mixtures: effect of temperature

Short communications

R. Fan, K. Cao, B. Li, H. Fan and B.-G. Li 2335 Morphology and crystallinity of nascent sPS in bulk polymerization with homogeneous metallocene catalyst

X. Xiao, X. Qiao, Z. Mo, Y. Dong, Q. Wang, X. Wang and H. Xu 2339 The effect of electrostatic field on the micro-crystal morphology of polymer films

I Announcements

Volume 37, Number 12

J. Valencia and I. F. Piérola 2345 Equilibrium swelling properties of poly(*N*-vinylimidazole-co-sodium styrenesulfonate) hydrogels

A. Ozturk, C. Kaynak and T. Tincer 2353 Effects of liquid rubber modification on the behaviour of epoxy resin

E. Juliac, J. Arman et D. Harran 2365 Détermination des paramètres ultrasonores de quelques polymères par une nouvelle méthode d'ajustement

J. C. Bevington 2379 Allyl ethers as apparent initiators of radical polymerizations

J. Comyn and F. de Buyl 2385 Mobility of water and alcohols in a silica reinforced siloxane network

N. Bıçak and C. Özeroğlu 2393 Low temperature initiation by methylene bis(-diethyl malonate)–Ce(IV) redox system in organic solvents

H. Xu, P. Xie and R. Zhang 2397 Synthesis and characterization of oligomeric silsesquioxane with pendent carboxylic acid groups

J. Ling, Y. Zhang, Z. Shen and J. Nie 2407 Kinetics simulation of high viscous styrene bulk polymerization system

Ren Jing and Ha Hongfei 2413 Study on interpenetrating polymer network hydrogel of diallyldimethylammonium chloride with kappa-carrageenan by UV irradiation

W. Ballet, T. Verbiest, M. Van Beylen, A. Persoons and C. Samyn 2419 Poly(*N*-phenylmaleimide)- and poly(*N*-biphenylmaleimide)-urethanes, functionalised with NLO-phores for second-order nonlinear optical applications

W. Pang, C. Fan and Q. Zhu 2425 Solid-state high-resolution ^{13}C NMR study on the interphase in lamellar semi-crystalline polymers

B. F. Senkal, Ü. Tunca and N. Biçak 2429 *N*,*N*′-dipropyl, *N*,*N*′-bis(4-methyl benzene sulfonyl) hydrazide: a new radical source for chain polymerization of vinyl monomers

S. E. Mallakpour, A.-R. Hajipour and S. Habibi 2435 Facile synthesis of new optically active poly (amide–imide)s derived from *N*,*N*′-(pyromellitoyl)-bis-L-leucine diacid chloride and aromatic diamines under microwave irradiation

N. Pekel, N. Şahiner, O. Güven and Z. M. O. Rzaev 2443 Synthesis and characterization of *N*-vinylimidazole–ethyl methacrylate copolymers and determination of monomer reactivity ratios

L. Ding, Y. Li, Y. Li, Y. Liang and J. Huang 2453 Polymerization of vinylene carbonate as well as aminolysis and hydrolysis of poly(vinylene carbonate)

S. Vlad and S. Oprea 2461 Evaluation of rheological behaviour of some thermoplastic polyurethane solutions

M. Cazacu, C. Racles, A. Vlad and M. Marcu 2465 Segmented poly(siloxane-ester-imide)s

T. Hayashi, S. Yodoya, M. Furuta, M. Oka and T. Hayashi 2475 Physical and biodegradation properties of A–B–A type block copolymer membranes consisting of poly(*N*-hydroxypropyl-L-glutamine) as the A component and polybutadiene as the B component

T. Hayashi, S. Yodoya, M. Furuta, M. Oka and T. Hayashi 2483 Enzymatic hydrolysis of random copolypeptides consisting of *N*-hydroxypropyl-L-glutamine and L-leucine

A. A. Caraculacu, E. Scorţanu and E. G. Hitruc 2491 Polyhydrazides based upon aromatic dihydrazines

B.-S. Kim, H. Fukuoka, J. P. Gong and Y. Osada 2499 Titration behaviors and spectral properties of hydrophobically modified water-soluble polythiophenes

E. C. Buruiana and T. Buruiana 2505 Synthesis of polyetherurethane cationomers with anthraquinone structure

S. Saha 2513 Miscibility of polyvinylchloride and polychloroprene blends: viscometric and light scattering studies of dilute solutions

I Contents of Volume 37, Author Index and Keyword Index